

September 1, 2015

SUBJECT: Declaration of EU RoHS Compliance

We, Pacer Technology, hereby declare that our products indicated below are in full compliance with EU Directive 2011/67/EC (RoHS 2), with respect to the following substances:

- 1) Lead (Pb),
- 2) Mercury (Hg),
- 3) Cadmium (Cd),
- 4) Hexavalent chromium (Cr (VI)),
- 5) Polybrominated biphenyls (PBB) and
- 6) Polybrominated diphenyl ethers (PBDE).

Per RoHS 2 Recast

- 7) Bis(2-ethylhexyl) phthalate (DEHP)
- 8) Benzyl butyl phthalate (BBP)
- 9) Dibutyl phthalate (DBP)
- 10) Hexabromocyclododecan (HBCDD)

We also declare that our products indicated below are in full compliance with EU Directive 2003/11/EC, with respect to the following substances:

- 1) pentabromodiphenyl ether (pentaBDE) and
- 2) octabromo-diphenyl ether (octaBDE).

Pacer Technology Product Part Numbers/ID:

Please contact your sales representative or customer service with questions.

Regards,



Samantha Stouffer
Quality and Safety Manager
Pacer Technology
(909) 987-0550 (ext. 4221)
Fax: (909) 987-0490

September 1, 2015

SUBJECT: Declaration of REACH and Substances of Very High Concern (SVHC)

Regarding REACH and SVHC, it is hereby declared that Pacer Technology does not intentionally introduce any of the substances listed in the Candidate List of Substances of Very High Concern (listed on the attached table) to their products.

Pacer Technology does not perform lab testing verification as none of the substances on the candidate list are "intentionally introduced" into our product formulas.

Pacer Technology Product Part Numbers/ID:

Please contact your sales representative or customer service with questions.

Regards,



Samantha Stouffer
Quality and Safety Manager
Pacer Technology
(909) 987-0550 (ext. 4221)
Fax: (909) 987-0490

Substances of Very High Concern – SVHC	CAS Number
2,4-Dinitrotoluene	121-14-2
2-Ethoxyethanol	110-80-5
2-Methoxyethanol	109-86-4
4,4'-Diaminodiphenylmethane (MDS)	101-77-9
5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2
Acrylamide	79-06-1
Alkanes, C10-13, chloro (short chain chlorinated paraffins)	85535-84-8
Ammonium dichromate	7789-09-5
Anthracene	120-12-7
Anthracene Oil	90640-80-5
Anthracene Oil, anthracene paste	90640-81-6
Anthracene Oil, anthracene paste, anthracene fraction	91995-15-2
Anthracene Oil, anthracene past, distn. Light	91995-17-4
Anthracene Oil, anthracene-low	90640-82-7
Benzyl butyl phthalate (BBP)	85-68-7
Bis(2-ethyl(hexyl)phthalate) DEHP	117-81-7
Bitributyltin oxide (TBTO)	56-35-9
Boric acid	10043-35-3 11113-50-1
Chromic acid, oligomers of chromic acid, dichromic acid	7738-94-5 13530-68-2
Chromium trioxide	1333-82-0
Cobalt dichloride	7646-79-9
Cobalt (II) carbonate	513-79-1
Cobalt (II) diacetate	71-48-7
Cobalt(II) dinitrate	10141-05-6
Cobalt(II) sulphate	10124-43-3
Diarsenic pentaoxide	1303-28-2
Diarsenic trioxide	1327-53-3
Diisobutyl phthalate	84-74-2
Disodium tetraborate, anhydrous	84-69-5
Hexabromocyclododecane (HBCDD)	12179-04-3 1303-96-4 1330-43-4
Alpha, Beta, Gamma-(hexabromocyclododecane)	25637-99-4 3194-55-6
Lead chromate	134237-50-6 134237-51-7 134237-52-8
Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	7758-97-6

Lead hydrogen arsenate	12656-85-8
Lead sulfochromate yellow (C.I. Pigment Yellow 34)	7784-40-9
Pitch, coal tar, high temp	1344-37-2
Potassium chromate	65996-93-2
Potassium dichromate	7789-00-6
Tetraboron disodium heptaoxide, hydrate	7778-50-9
Trichloro ethylene	7775-11-3
Triethyl arsenate	7789-12-0 10588-01-9
Tris(2-chloroethyl)phosphate	12267-73-1
Aluminosilicate Refractory Ceramic Fibers, meeting 2 conditions: 1. $\text{Al}_2\text{O}_3=53.5-47\%$ w/w and $\text{SiO}_2=49.5-53.5\%$ w.w or $\text{Al}_2\text{O}_3=45.5-50.5\%$ w/w and $\text{SiO}_2=48.5-54\%$ w/w; 2. Fibers have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometers (μm).	Fibers are covered by EC Index #650-017-00-8, EC 1272/2008, Annex VI, part 3, table 3.2; European Council, 16 Dec, 2008
Zirconia Aluminosilicate Refractory ceramic Fibres, meeting 2 conditions: 1. The following are present within these concentration ranges: $\text{Al}_2\text{O}_3=35-36\%$ w/w and $\text{SiO}_2=47.5-50\%$ w/w and $\text{ZrO}_2=15-17\%$ w/w and 2. Fibers have a length weight geometric mean diameter less two standard geometric errors of 6 or less micrometers(μm).	Fibers are covered by EC Index #650-017-00-8, EC 1272/2008, Annex VI, part 3, table 3.2; European Council, 16 Dec, 2008